

4 Mysteries of the Deep? Pleistocene Archaeology and the Underwater Record.

Jennifer Borrett (<mailto:jb793@york.ac.uk>)

Of all the modules I have studied at King's Manor, perhaps my favourite has been Geoff Bailey's Prehistoric Coastlines. This is a summary, as best I can manage, of what I learned. I cannot think that there is any more important consideration when researching the Palaeolithic than the fact that most of the archaeology from this time might now be underwater.

Why so? The coastlines we see all around the Earth now have only looked like that during the last 6,000 years. Before then, we were in the grip of an ice age and our planet looked much less blue than it does now. This is due to the sheer size of the ice-caps. Much of the water in our current seas and oceans was trapped as ice at the poles, bringing sea-levels down to striking levels, as much as 120 metres in places (Bailey and Flemming, 2008) and revealing extensive lowland plains. For ease of communication, I shall call our modern day land areas 'The Uplands' and the now submerged plains 'The Lowlands'.

How extreme was this sea-level change? Well, as an example of a Pleistocene Lowland, during the last ice age the North Sea was a vast Lowland, known as Doggerland, with evidence of birch shrubs and large game, possible permafrost (White 2006), valleys and rivers (Gaffney, *et al.* 2007). At times glaciers may have spread over it making it potentially uninhabitable to humans (we will discuss this later). Obviously finding archaeology from over 10,000 years ago, under the seabed of the North Sea is quite a task, so Palaeolithic human presence is often guesswork, except for some very exciting clues:-

- 1. A North Sea trawler working near the Dutch coast brought up a Neanderthal cranium with brow ridge which was reported in 2009 (Anon, 2009).
- 2. Another North Sea Trawler dredged up a cache of Mousterian (i.e. Neanderthal) stone tools in 2008 off the East Anglian coast (Keys, 2008).
- 3. There is a Neanderthal presence in England, at Beedings, indicated by tools that are currently dated at between 35-42,000 years ago (McGourty, 2008).

Though dating for Neanderthals is currently under review, it may be significantly older. This begs the question: how did they get to England? Well, they either crossed the North Sea plain, perhaps following the large game, or they would have had to cross a wide river that existed then across the channel. Either Neanderthals had the technology to survive extreme cold and tundra or they had the capacity to cross water. Now that is exciting! Furthermore, a new dating for England's first known *Homo sapiens* at 41,000 years old (Amos, 2011) means that our own species were crossing these lowland plains, or had water craft sturdy enough to cross the channel river, and may have been contemporary with Neanderthals if dating reviews can confirm this.



Figure 1 – Map of finds around European coasts (Image Copyright – Geoff Bailey)

These are just some of the many examples of potentially exciting lowland activity, and these areas exist around every continent, forming large Palaeolithic fertile plains and even land-bridges. Beringia is a famous land-bridge that connected Alaska with Siberia during the Palaeolithic. Sunda was an extended land region connecting many of the Indonesian Islands, and Sahul was a large continent that connected Australia to New Guinea.

Why might humans have strayed onto these lowland plains? Well, the Lowlands could actually have been far more attractive than the Uplands. The reasons: coastal resources, migration and drought.

During the last Ice Age, drought conditions existed in the Uplands which were caused by the volume of water held in the ice-caps. However, on the Lowlands the water table was higher. Flora and fauna were therefore richer on the Lowlands and one could hypothesise that humans would have clustered there too.

Secondly, there is the attraction of marine resources. There may be good reason why we see little archaeological evidence of marine and coastal exploitation during the Palaeolithic. Those habitats are now underwater and we are restricted to information from previously inland regions. However, after 10,000 years ago, there is abundant global evidence of shell middens, vast mounds of shells along coastlines that once provided food for people through the Holocene. There is some enquiry into whether such middens also exist underwater along the now submerged Palaeolithic coastlines, and this is currently being researched at the Red Sea (Bailey and Flemming, 2008). Also, at a time of variable patterns of climate change, when land food sources might have been unreliable, the sea can keep people alive, feeding them with fish, shellfish and even sea mammals if they can catch them. In fact, even now in very cold regions, the sea can support complex, very cultural communities of hunter-gathering humans as can be seen

on the Western Seaboard of Canada and Alaska. Fish from Arctic waters is very high in oils and therefore calories. Sea mammals can provide skins for homes, boats and clothes; bones for tools; and fat for burning as well as food. Therefore *Homo sapiens* may have been able to exist on frozen coastlines during the Ice-Age. There are, however, controversial implications of this. Could humans have survived on the edges of glaciers in the North during the last Ice Age? Indeed could they have held a niche in the area of the North Sea during the Last Glacial Maximum? Were Neanderthals capable of carving such a niche also? Sadly due to melting of such areas, we may never know.

Finally, there is the matter of migration, or stated rather more simply, human *movement* (humans may not have been aware they were migrating as such, perhaps just moving from resource to resource as pressure demanded). Even with simple watercraft like canoes, coastlines provide a quick and easy way to transport belongings and perhaps whole families. Indeed, in some places communities today live on boats instead of land. Trade and contact with fellow coastal groups is made easier, providing emergency fallback for each other in times of hardship. This is suspected as a dispersal method into the Americas, from Siberia, across Beringia, and down the west coast of Alaska, Canada and North America. However, dates of human occupation in South America, for example at Monte Verdi dated at 14,220 and 13,980 years ago (Dillahay, *et al.* 2008), appear to be earlier than the appearance of an ice-free corridor that opened along Beringia after 11kya (Bradbury and Stanford, 2010). This could suggest a second, earlier, and as yet unsolved dispersal into the Americas.

Therefore, in more frozen lands, coasts could have provided an essential path around the ice and possibly a favoured travelling route. Once watercraft were invented, travel by water was possibly faster and easier than over land in all zones. The young, frail, heavily pregnant and elderly do not have to walk, and heavy belongings do not have to be carried if they are travelling by boat. In addition, water, whether by sea or river, will take people from one well-watered fertile zone to the next, more than land travel would. Large land predators, such as the sabre-toothed big cats of the Pleistocene, would find travelling humans to be out of their reach. One could easily imagine how well nourished family groups who travelled rapidly and safely along fertile coastlines would have considerable advantage over those family groups that travelled slowly on foot over the dry Uplands. Such people may though have become dependent on migrating herds of game for resources, analogous with the Chukchi of Siberia who are traditionally reliant on reindeers.

What is the impact of these potential regions on current archaeological understanding? It could be immense. We could be underestimating the spread of *Homo sapiens*, and maybe even the Neanderthals during the last Ice Age. At worst, we could be missing the majority of archaeological evidence from this time. The remains found on the Uplands may not be truly representative of human cultural and technological behaviour at this time. We may be missing early *Homo sapiens* art, possible Neanderthal cultural activity, and complex Palaeolithic communities.




Figure 2 – Divers looking for archaeological deposits (Image Copyright – Geoff Bailey)

But can anything be done about this? Is this heritage lost forever? It is not believed to be so (Bailey and Flemming, 2008). Areas of real potential have been identified, such as Gibraltar and the Red Sea, but from there the problem is the cost, as well as the practical constraints of research. In areas like the North Sea, archaeology prior to around 24,000 years ago may have been

destroyed by the intense glaciation of the Last Glacial Maximum that ran from that time to around 15,000 years ago. However, the East Anglian tool cache and the Dutch Neanderthal skull did survive, but having been dredged, are of unknown context. Could they have been dragged from a rich, meaningful, and in fact priceless context which now lies destroyed under the sea?

Perhaps the most important consideration for now is to identify the most pertinent undersea areas and place them under protection from any further human and environmental damage. One day archaeology may be well placed to research very effectively there, and it would be a tragedy for them if we let these areas be rendered useless now by human activity such as off-shore wind farms, oil prospecting and benthic trawler fishing methods. Perhaps we owe something to future generations by creating undersea World Heritage Sites.

A Glossary and some further info

- **Beringia** – This was a land-bridge that connected Siberia to Alaska when sea levels were low. However, it was heavily glaciated, except for the opening of an ice-free corridor between Alaska and Siberia allowing a window of opportunity for dispersal of humans from Siberia into the Americas.
- **Doggerland** – This is the name given for the land-bridge that connected Britain to Europe during the last Ice Age.
- **Palaeolithic** – Also known as the Old Stone Age, it is divided into Early, Middle and Late, with Late Palaeolithic coinciding with the Last Glacial Maximum. The dating of this varies around the planet.
- **Pleistocene** – The last Ice Age, running from 2 million years ago to 10kya. The climate in Europe was very unstable at this time, marked by swinging temperatures in the low range, high snowfall and fierce winds, but other regions were more temperate, yet prone to drought.
- **Holocene** – Our current time period, starting around 10,000 years ago, marked by a temperate and relatively stable climate. This saw also the start of the Mesolithic period.
- **Benthic Trawler Fishing** – This is a fishing technique that involves scraping the sea floor with a large heavy metal bar that is followed by a huge net, in order to make large catches of fish. Ecologically it is very damaging; the majority of the catch is useless and thrown away dead (often they die painfully from decompression being deep-sea animals), but additionally, archaeological contexts may be destroyed. This is a commonplace fishing method in the North Sea, bringing up mainly Mesolithic material, bones of large land mammals but sometimes Palaeolithic archaeology.
- **Last Glacial Maximum** – Around 24,000 years ago, Europe became suddenly much colder and the Ice Age reached its maximum extent, with glaciers covering Wales and reaching East Anglia. This is known as the Last Glacial Maximum and most of Europe may not have been habitable. It was followed by sudden warming and melting, with sea levels rising erratically, at around 15,000 years ago. 10,000 years ago the climate stabilised, marking the start of the Holocene.

- **Shell Midden** – Huge mounds of shells in coastal areas that result from human shellfish economies. They can be full of fascinating archaeology, including other foods and objects and even burials. Modern coastal humans still build up shell middens in some areas.
- **Sahul and Sunda** – Humans (modern) may have been present in Australia 60,000 years ago. Very odd when it could only be reached by sea. Sahul and Sunda did not have a land-bridge. Did we get there by boat? Or washed up there by storms or tsunamis? How did *Homo floresiensis* (possibly a *homo erectus* type) reach the island of Flores across water? Some interesting questions exist here.
- **Gibraltar and Norway** – These areas have coasts more similar to those of the Pleistocene, compared to other regions, resulting in more Palaeolithic archaeology. This suggests that people were indeed living on coastlines at this time. Neanderthals are shown to have utilised marine resources in Gibraltar.
- **Monte Verdi** – In Chile, South America, this is currently the earliest known presence of humans in the Americas and dated at 15,000 years old, is earlier (and very far away from) the opening of the Beringia land bridge. Interesting!

Bibliography

- Amos, J. (2011). Teeth and jaw are from earliest Europeans. *BBC News: Science and Environment* [online] available at www.bbc.co.uk/news/science-environment-15540464 (<http://tinyurl.com/3gwsneb>) Accessed 21-11-2011.
- Anon (2009). Neanderthal of the North Sea. *Natural History Museum* [online] available at www.nhm.ac.uk/about-us/news/2009/june/neanderthal-of-the-north-sea32888.html (<http://tinyurl.com/boovaxc>) Accessed 21-11-2011.
- Bailey, G.N. and Flemming, N.C. (2008). Archaeology of the continental shelf: marine resources, submerged landscapes and underwater archaeology. *Quaternary Science Reviews*. 27 (2324), 21532165.
- Bradbury, B. and Stanford, D. (2010). The North Atlantic ice-edge corridor: a possible Palaeolithic route into the New World. *World Archaeology*. 36 (4), 459-478.
- Gaffney, V.L., Thomson, K. and Fitch, S. (2007). *Mapping Doggerland: the Mesolithic landscapes of the southern North Sea*. Oxford: Archaeopress.
- Keys, D. (2008). Neanderthal treasure trove at bottom of sea. *The Independent* [online] available at www.independent.co.uk/news/uk/home-news/neanderthal-treasure-trove-at-bottom-of-sea-793678.html (<http://tinyurl.com/2czye8>) Accessed 21-11-2011.

- McGourty, C. (2008). Neanderthal tools found at dig. *BBC News* [online] available at news.bbc.co.uk/1/hi/sci/tech/7466735.stm (<http://tinyurl.com/cxatah2>) Accessed 21-11-2-11.
- White, M.J. (2006). Things to do in Doggerland when you are dead: surviving IOS3 at the North-Westernmost fringe of Middle Palaeolithic Europe. *World Archaeology*. 38 (4), 547-575.